

Purpose and procedure

The general purpose of *Evidence-Based Nursing* is to select from the health related literature those articles reporting studies and reviews that warrant immediate attention by nurses attempting to keep pace with important advances in their profession. These articles are summarised in "value added" abstracts and commented on by clinical experts. The specific purposes of *Evidence-Based Nursing* are:

- To identify, using predefined criteria, the best quantitative and qualitative original and review articles on the meaning, cause, course, assessment, prevention, treatment, or economics of health problems managed by nurses and on quality improvement
- To summarise this literature in the form of "structured abstracts" that describe the question, methods, results, and evidence-based conclusions of studies in a reproducible and accurate fashion
- To provide brief, highly expert comment on the context of each article, its methods, and clinical applications that its findings warrant
- To disseminate the summaries in a timely fashion to nurses.

The Royal College of Nursing (RCN) Publishing Company and the British Medical Journal (BMJ) Publishing Group publish *Evidence-Based Nursing* under the editorship of Dr Donna Ciliska at McMaster University in Canada, Dr Andrew Jull at the University of Auckland in New Zealand, and Dr Carl Thompson at the University of York in the UK. The Health Information Research Unit (HIRU) of the Department of Clinical Epidemiology and Biostatistics at McMaster University hosts the editorial office for the production of the abstracts and commissioning of commentaries. Dr Brian Haynes acts as coordinating editor to ensure that methods and procedures are consistent with other evidence-based journals prepared by HIRU.

CRITERIA FOR SELECTION AND REVIEW OF ARTICLES FOR ABSTRACTING

All articles in a journal issue are considered for abstracting if they meet these criteria:

Basic criteria

- Original or review articles
- In English
- Quantitative and qualitative studies
- About topics that are important to the clinical practice of nurses in any setting
- Analysis of each article is consistent with the study question.

Quantitative studies

Studies of prevention or treatment must meet these additional criteria:

- Random allocation of participants to comparison groups
- Follow up (end point assessment) of $\geq 80\%$ of those entering the investigation
- Outcome measure of known or probable clinical importance.

Studies of assessment (screening or diagnosis) must meet these additional criteria:

- Inclusion of a spectrum of participants, some, but not all of whom, have the condition of interest
- Objective diagnostic ("gold") standard (eg, central venous pressure) or current clinical standard for diagnosis (eg, sphygmomanometer reading for hypertension), preferably with documentation of reproducible criteria for subjectively interpreted diagnostic standard (ie, report of statistically significant measure of agreement beyond chance among observers)
- Each participant must receive both the new test and some form of the diagnostic standard
- Interpretation of diagnostic standard without knowledge of test result
- Interpretation of test without knowledge of diagnostic standard result.

Studies of prognosis must meet these additional criteria:

- Inception cohort (first onset or assembled at a uniform point in the development of a condition or disease) of individuals, all initially free of the outcome of interest
- Follow up of $\geq 80\%$ of participants until the occurrence of a major study endpoint or to the end of the study.

Studies of causation must meet these additional criteria:

- Observations concerning the relation between modifiable exposures and putative clinical outcomes
- Prospective data collection with clearly identified comparison group(s) for those at risk of, or having, the outcome of interest (in descending order of preference, from randomised controlled trials, quasi-randomised controlled trials, non-randomised controlled trials, cohort study with case by case matching or statistical adjustment to create comparable groups, or nested case-control studies)
- Blinding (masking) of observers of outcome to exposure (criterion assumed to be met if outcome is objective, eg, all cause mortality or self administered psychometric test)

Studies of quality improvement or continuing education must meet these additional criteria:

- Random allocation of participants or units to comparison groups
- Follow up of $\geq 80\%$ of participants
- Outcome measure of known or probable clinical importance.

Studies of the economics of healthcare programmes or interventions must meet these additional criteria:

- The economic question must compare alternative courses of action
- Alternative diagnostic or therapeutic services or quality improvement activities must be compared on the basis of

- both the outcomes produced (effectiveness) and resources consumed (costs)
- Evidence of effectiveness must be from a study (or studies) of real (not hypothetical) patients, which meets the criteria for treatment, assessment, quality improvement, or a review article
- Results should be presented in terms of the incremental or additional costs and outcomes of one intervention over another
- Where there is uncertainty in the estimates or imprecision in the measurement, a sensitivity analysis should be done.

Clinical prediction guides must meet these additional criteria:

- The guide must be generated in ≥ 1 set of real (not hypothetical) patients (training set)
- The guide must be validated in an independent set of real patients (test set)
- The guide must pertain to treatment, assessment, prognosis, or causation.

Review articles must meet these additional criteria:

- A clear statement of the clinical topic being reviewed
- A clear description of the sources and methods for identifying articles
- Specification of the inclusion and exclusion criteria for selecting articles for detailed review
- ≥ 1 article in the review must meet the above noted criteria for treatment, assessment, prognosis, causation, quality improvement, or economics of healthcare programmes.

Qualitative studies

- Content reflects the phenomenon of interest from the perspective of people experiencing it
- Data collection methods are appropriate for qualitative data
- Analyses are appropriate for qualitative data.

These criteria are subject to modification if, for example, it becomes feasible to apply higher standards that increase the validity and applicability of studies for clinical practice. The objective of *Evidence-Based Nursing* is to abstract only the very best literature, consistent with a reasonable number of articles "making it through the filter."

Articles meeting the criteria set out above are abstracted according to the procedure for more informative abstracts,¹ with the following modifications: abstracts are approximately 400 words in length; and each abstract is reviewed by an expert in the content area covered by the article. This expert writes a commentary in which she or he compares the study findings to previous research findings, identifies any important methodological problems that affect interpretation of the study results, and offers recommendations for clinical application. The author of the article is given an opportunity to review the abstract and commentary before publication.

On an ongoing basis, we will publish to the *Evidence-Based Nursing* web site (evidencebasednursing.com) a selected list of articles that passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less applicable to general nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

¹ Haynes RB, Mulrow CD, Huth EJ, et al. More informative abstracts revisited. *Ann Intern Med* 1990;113:69-76.

Journals reviewed for this issue

Acta Obstet Gynecol Scand	Arthritis Rheum	Heart Lung	J Pediatric Orthop
Acta Orthop Scand	Arthroscopy	J Adv Nurs	J Rheumatol
Age Ageing	Birth	J Am Acad Child Adolesc Psychiatry	J Trauma
Aliment Pharmacol Ther	BJOG	J Am Coll Cardiol	J Vasc Surg
Am J Cardiol	BMJ	J Am Coll Surg	JAMA
Am J Epidemiol	Br J Gen Pract	J Am Geriatr Soc	Lancet
Am J Gastroenterol	Br J Psychiatry	J Am Med Inform Assoc	Med Care
Am J Med	Br J Surg	J Arthroplasty	Med J Aust
Am J Obstet Gynecol	Can J Gastroenterol	J Bone Joint Surg Am	Midwifery
Am J Psychiatry	Can J Nurs Res	J Bone Joint Surg Br	N Engl J Med
Am J Public Health	Can J Surg	J Child Psychol Psychiatry	Neurology
Am J Respir Crit Care Med	Cancer Nurs	J Clin Epidemiol	Nurs Res
Am J Sports Med	Circulation	J Clin Nurs	Obstet Gynecol
Ann Emerg Med	Clin Orthop Rel Res	J Consult Clin Psychol	Oncol Nurs Forum
Ann Intern Med	CMAJ	J Fam Pract	Pain
Ann Rheum Dis	Cochrane Database Syst Rev	J Gen Intern Med	Patient Educ Couns
Ann Surg	Crit Care Med	J Hand Surg [Am]	Pediatrics
ANS Adv Nurs Sci	Diabet Med	J Hand Surg [Br]	Psychosom Med
Appl Nurs Res	Diabetes Care	J Infect Dis	Qual Health Res
Arch Dis Child	Fam Pract	J Manipulative Physiol Ther	Radiology
Arch Dis Child Fetal Neonatal Ed	Foot Ankle	J Neurol Neurosurg Psychiatry	Res Nurs Health
Arch Gen Psychiatry	Gastroenterol	J Neurosurg	Rheumatology
Arch Intern Med	Gut	J Nurs Scholarsh	Soc Sci Med
Arch Neurol	Health Educ Behav	J Orthop Trauma	Spine
Arch Pediatr Adolesc Med	Health Psychol	J Pediatr	Stroke
Arch Surg	Heart	J Pediatr Oncol Nurs	Thorax
			West J Nurs Res

October 2005 issue

OTHER ARTICLES NOTED (27 May 2005 to 12 August 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Adams N, Bestall J, Jones P, *et al.* Inhaled fluticasone at different doses for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2005;(3):CD003534.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034902

Adams N, Bestall J, Lasserson T, *et al.* Inhaled fluticasone versus inhaled beclomethasone or inhaled budesonide for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2005;(2):CD002310.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846637&query_hl=5

Adams N, Bestall J, Lasserson T, *et al.* Inhaled fluticasone versus placebo for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2005;(2):CD003135.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846649&query_hl=7

Aleman A, Althabe F, Belizán J, *et al.* Bed rest during pregnancy for preventing miscarriage. *Cochrane Database Syst Rev* 2005;(2):CD003576.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846669&query_hl=7

Alessi CA, Martin JL, Webber AP, *et al.* Randomized, controlled trial of a nonpharmacological intervention to improve abnormal sleep/wake patterns in nursing home residents. *J Am Geriatr Soc* 2005;53:803–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15877555&query_hl=9

Alhasso A, Glazener C, Pickard R, *et al.* Adrenergic drugs for urinary incontinence in adults. *Cochrane Database Syst Rev* 2005;(3):CD001842.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034867

Allen JY, Macias CG. The efficacy of ketamine in pediatric emergency department patients who present with acute severe asthma. *Ann Emerg Med* 2005;46:43–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15988425

Anderson L, Lewis G, Araya R, *et al.* Self-help books for depression: how can practitioners and patients make the right choice? *Br J Gen Pract* 2005;55:387–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15904559&query_hl=3

Anglen JO. Comparison of soap and antibiotic solutions for irrigation of lower-limb open fracture wounds. A prospective, randomized study. *J Bone Joint Surg Am* 2005;87:1415–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15995106

Appels A, Bär F, van der Pol G, *et al.* Effects of treating exhaustion in angioplasty patients on new coronary events: results of the randomized Exhaustion Intervention Trial (EXIT). *Psychosom Med* 2005;67:217–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15784786&query_hl=6

Areán PA, Ayalon L, Hunkeler E, *et al.* Improving depression care for older, minority patients in primary care. *Med Care* 2005;43:381–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15778641&query_hl=8

Areosa SA, Sherriff F, McShane R. Memantine for dementia. *Cochrane Database Syst Rev* 2005;(2):CD003154.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846650&query_hl=3

Aukema AA, Mulder PG, Fokkens WJ. Treatment of nasal polyposis and chronic rhinosinusitis with fluticasone propionate nasal drops reduces need for sinus surgery. *J Allergy Clin Immunol* 2005;115:1017–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15867860&query_hl=5

Avenell A, Gillespie W, Gillespie L, *et al.* Vitamin D and vitamin D analogues for preventing fractures associated with involutional and post-menopausal osteoporosis. *Cochrane Database Syst Rev* 2005;(3):CD000227.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034849

Avenell A, Handoll H. Nutritional supplementation for hip fracture aftercare in older people. *Cochrane Database Syst Rev* 2005;(2):CD001880.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846625&query_hl=7

Bellamy N, Campbell J, Robinson V, *et al.* Viscosupplementation for the treatment of osteoarthritis of the knee. *Cochrane Database Syst Rev* 2005;(2):CD005321.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846754&query_hl=9

Bennett M, Feldmeier J, Hampson N, *et al.* Hyperbaric oxygen therapy for late radiation tissue injury. *Cochrane Database Syst Rev* 2005;(3):CD005005.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034961

Benson LM, Wunderly D, Perry B, *et al.* Determining best practice: comparison of three methods of femoral sheath removal after cardiac interventional procedures. *Heart Lung* 2005;34:115–21.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15761456&query_hl=1

Berenstein EG, Ortiz Z. Megestrol acetate for the treatment of anorexia-cachexia syndrome. *Cochrane Database Syst Rev* 2005;(2):CD004310.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846706&query_hl=3

Bisson J, Andrew M. Psychological treatment of post-traumatic stress disorder (PTSD). *Cochrane Database Syst Rev* 2005;(2):CD003388.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846661&query_hl=11

Bjornstad G, Montgomery P. Family therapy for attention-deficit disorder or attention-deficit/hyperactivity disorder in children and adolescents. *Cochrane Database Syst Rev* 2005;(2):CD005042.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846741&query_hl=13

Brown A, Angus D, Chen S, *et al.* *Costs and outcomes of chiropractic treatment for low back pain*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), July 2005. Technology report number 56.

<http://www.ccohta.ca>

Burgess IF, Brown CM, Lee PN. Treatment of head louse infestation with 4% dimeticone lotion: randomised controlled equivalence trial. *BMJ* 2005;330:1423.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15951310&query_hl=47

Buyon JP, Petri MA, Kim MY, *et al.* The effect of combined estrogen and progesterone hormone replacement therapy on disease activity in systemic lupus erythematosus: a randomized trial. *Ann Intern Med* 2005;142:953–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15968009

Calzone KA, Prindiville SA, Jourkiv O, *et al.* Randomized comparison of group versus individual genetic education and counseling for familial breast and/or ovarian cancer. *J Clin Oncol* 2005;23:3455–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15908654&query_hl=10

Camus C, Bellissant E, Sebille V, *et al.* Prevention of acquired infections in intubated patients with the combination of two decontamination regimens. *Crit Care Med* 2005;33:307–14.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15699832&query_hl=12

Cardwell M, Siviter G, Smith A. Non-steroidal anti-inflammatory drugs and perioperative bleeding in paediatric tonsillectomy. *Cochrane Database Syst Rev* 2005;(2):CD003591.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846670&query_hl=14

Casanueva E, Ripoll C, Tolentino M, *et al.* Vitamin C supplementation to prevent premature rupture of the chorioamniotic membranes: a randomized trial. *Am J Clin Nutr* 2005;81:859–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15817864&query_hl=11

Casarett D, Karlawish J, Morales K, *et al.* Improving the use of hospice services in nursing homes: a randomized controlled trial. *JAMA* 2005;294:211–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16014595

Chamorro A, Horcajada JP, Obach V, *et al.* The Early Systemic Prophylaxis of Infection After Stroke study: a randomized clinical trial. *Stroke* 2005;36:1495–500.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15961713

Chang A, Halstead R, Petsky H. Methylxanthines for prolonged non-specific cough in children. *Cochrane Database Syst Rev* 2005;(3):CD005310.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034969

- Chang A, Lasserson T, Gaffney J, *et al*. Gastro-oesophageal reflux treatment for prolonged non-specific cough in children and adults. *Cochrane Database Syst Rev* 2005;(2):CD004823.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846735&query_hl=15
- Chang L, Phipps W, Kennedy G, *et al*. Antifungal interventions for the primary prevention of cryptococcal disease in adults with HIV. *Cochrane Database Syst Rev* 2005;(3):CD004773.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034947
- Chanoine JP, Hampl S, Jensen C, *et al*. Effect of orlistat on weight and body composition in obese adolescents: a randomized controlled trial. *JAMA* 2005;**293**:2873–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15956632&query_hl=31
- Charbonnel BH, Matthews DR, Schernthaner G, *et al*, on behalf of the QUARTET Study Group. A long-term comparison of pioglitazone and gliclazide in patients with type 2 diabetes mellitus: a randomized, double-blind, parallel-group comparison trial. *Diabet Med* 2005;**22**:399–405.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15787663&query_hl=13
- Cheng LY, Chan S. Psychoeducation program for Chinese family carers of members with schizophrenia. *West J Nurs Res* 2005;**27**:583–99.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16020567
- Chouinard MC, Robichaud-Ekstrand S. The effectiveness of a nursing inpatient smoking cessation program in individuals with cardiovascular disease. *Nurs Res* 2005;**54**:2432–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027567
- Clandinin MT, Van Aerde JE, Merkel KL, *et al*. Growth and development of preterm infants fed infant formulas containing docosahexaenoic acid and arachidonic acid. *J Pediatr* 2005;**146**:461–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15812447&query_hl=9
- Clifford RM, Davis WA, Batty KT, *et al*. Effect of a pharmaceutical care program on vascular risk factors in type 2 diabetes: the Fremantle Diabetes Study. *Diabetes Care* 2005;**28**:771–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15793171&query_hl=16

- Cochrane BB, Lewis FM. Partner's adjustment to breast cancer: a critical analysis of intervention studies. *Health Psychol* 2005;24:327–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15898870&query_hl=16
- Conrad SA, Gabrielli A, Margolis B, *et al.* Randomized, double-blind comparison of immediate-release omeprazole oral suspension versus intravenous cimetidine for the prevention of upper gastrointestinal bleeding in critically ill patients. *Crit Care Med* 2005;33:760–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15818102&query_hl=11
- Cook JA, Leff HS, Blyler CR, *et al.* Results of a multisite randomized trial of supported employment interventions for individuals with severe mental illness. *Arch Gen Psychiatry* 2005;62:505–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15867103&query_hl=18
- Cook NR, Lee IM, Gaziano JM, *et al.* Low-dose aspirin in the primary prevention of cancer: the Women's Health Study: a randomized controlled trial. *JAMA* 2005;294:47–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15998890
- Cools F, Offringa M. Neuromuscular paralysis for newborn infants receiving mechanical ventilation. *Cochrane Database Syst Rev* 2005;(2):CD002773.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846639&query_hl=13
- Costa J, Ferro J, Matias-Guiu J, *et al.* Triflusal for preventing serious vascular events in people at high risk. *Cochrane Database Syst Rev* 2005;(3):CD004296.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034926
- Crowther CA, Hiller JE, Moss JR, *et al.* Effect of treatment of gestational diabetes mellitus on pregnancy outcomes. *N Engl J Med* 2005;352:2477–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15951574&query_hl=49
- Curley MA, Hibberd PL, Fineman LD, *et al.* Effect of prone positioning on clinical outcomes in children with acute lung injury: a randomized controlled trial. *JAMA* 2005;294:229–37.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16014597

- Day E, Ison J, Strang J. Inpatient versus other settings for detoxification for opioid dependence. *Cochrane Database Syst Rev* 2005;(2):CD004580.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846721&query_hl=17
- Delegge M, Kaplan R. Efficacy of bowel preparation with the use of a prepackaged, low fibre diet with a low sodium, magnesium citrate cathartic vs. a clear liquid diet with a standard sodium phosphate cathartic. *Aliment Pharmacol Ther* 2005;21:1491–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15948817&query_hl=32
- den Boer P, Wiersma D, Russo S, et al. Paraprofessionals for anxiety and depressive disorders. *Cochrane Database Syst Rev* 2005;(2):CD004688.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846727&query_hl=19
- Dendukuri N, Costa V, McGregor M, et al. Probiotic therapy for the prevention and treatment of *Clostridium difficile*-associated diarrhea: a systematic review. *CMAJ* 2005;173:167–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027434
- Dennis CL. Psychosocial and psychological interventions for prevention of postnatal depression: systematic review. *BMJ* 2005;331:15.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994688
- Derosa G, Gaddi AV, Piccinni MN, et al. Antithrombotic effects of rosiglitazone-metformin versus glimepiride-metformin combination therapy in patients with type 2 diabetes mellitus and metabolic syndrome. *Pharmacotherapy* 2005;25:637–45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15899724&query_hl=15
- Deutekom M, Dobben A. Plugs for containing faecal incontinence. *Cochrane Database Syst Rev* 2005;(3):CD005086.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034966
- Dey P, Woodman M, Gibbs A, et al. Early assessment by a mobile stroke team: a randomised controlled trial. *Age Ageing* 2005;34:331–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955756&query_hl=33
- Diego MA, Field T, Hernandez-Reif M. Vagal activity, gastric motility, and weight gain in massaged preterm neonates. *J Pediatr* 2005;147:50–2

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027695

Dowse R, Ehlers M. Medicine labels incorporating pictograms: do they influence understanding and adherence? *Patient Educ Couns* 2005;**58**:63–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950838

Dsilna A, Christensson K, Alfredsson L, *et al.* Continuous feeding promotes gastrointestinal tolerance and growth in very low birth weight infants. *J Pediatr* 2005;**147**:43–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027693

Ducharme A, Doyon O, White M, *et al.* Impact of care at a multidisciplinary congestive heart failure clinic: a randomized trial. *CMAJ* 2005;**173**:40–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15997043

Duggan L, Fenton M, Rathbone J, *et al.* Olanzapine for schizophrenia. *Cochrane Database Syst Rev* 2005;(2):CD001359.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846619&query_hl=17

Durkan A, Hodson E, Willis N, *et al.* Non-corticosteroid treatment for nephrotic syndrome in children. *Cochrane Database Syst Rev* 2005;(2):CD002290.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846634&query_hl=19

Dyson L, McCormick F, Renfrew M. Interventions for promoting the initiation of breastfeeding. *Cochrane Database Syst Rev* 2005;(2):CD001688.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846621&query_hl=21

Edelman A, Gallo M, Jensen J, *et al.* Continuous or extended cycle vs. cyclic use of combined oral contraceptives for contraception. *Cochrane Database Syst Rev* 2005;(3):CD004695.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034942

Einarsson JI, Henao G, Young AE. Topical analgesia for endometrial biopsy: a randomized controlled trial. *Obstet Gynecol* 2005;**106**:128–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994627

Eisenberg E, McNicol ED, Carr DB. Efficacy and safety of opioid agonists in the treatment of neuropathic pain of nonmalignant origin: systematic review and meta-analysis of randomized controlled trials. *JAMA* 2005;293:3043–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15972567

Elmore JG, Armstrong K, Lehman CD, *et al.* Screening for breast cancer. *JAMA* 2005;293:1245–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15755947&query_hl=18

Elphick H, Tan A. Single versus combination intravenous antibiotic therapy for people with cystic fibrosis. *Cochrane Database Syst Rev* 2005;(2):CD002007.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846627&query_hl=21

Emmons SL, Otto L. Acupuncture for overactive bladder: a randomized controlled trial. *Obstet Gynecol* 2005;106:138–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994629

Evans R, Edwards A, Brett J, *et al.* Reduction in uptake of PSA tests following decision aids: systematic review of current aids and their evaluations. *Patient Educ Couns* 2005;58:13–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950832&query_hl=30

Faggiano F, Vigna-Taglianti F, Versino E, *et al.* School-based prevention for illicit drug use. *Cochrane Database Syst Rev* 2005;(2):CD003020.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846647&query_hl=23

Faltin DL, Boulvain M, Irion O, *et al.* Diagnosis of anal sphincter tears by postpartum endosonography to predict fecal incontinence. *Obstet Gynecol* 2000;95:643–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=10775721

Ferreira I, Brooks D, Lacasse Y, *et al.* Nutritional supplementation for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2005;(2):CD000998.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846608&query_hl=25

Fioravanti M, Yanagi M. Cytidine-diphosphocholine (CDP-choline) for cognitive and behavioural disturbances associated with chronic cerebral disorders in the elderly. *Cochrane Database Syst Rev* 2005;(2):CD000269.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846601&query_hl=27

Fitzgibbon ML, Stolley MR, Schiffer L, *et al.* Two-year follow-up results for Hip-Hop to Health Jr: a randomized controlled trial for overweight prevention in preschool minority children. *J Pediatr* 2005;146:618–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15870664&query_hl=23

Fontenot MT, Lewis DF, Frederick JB, *et al.* A prospective randomized trial of magnesium sulfate in severe preeclampsia: use of diuresis as a clinical parameter to determine the duration of postpartum therapy. *Am J Obstet Gynecol* 2005;192:1788–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970809&query_hl=52

Ford AC, Qume M, Moayyedi P, *et al.* *Helicobacter pylori* “test and treat” or endoscopy for managing dyspepsia: an individual patient data meta-analysis. *Gastroenterology* 2005;128:1838–44.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15940619

Fox LA, Buckloh LM, Smith SD, *et al.* A randomized controlled trial of insulin pump therapy in young children with type 1 diabetes. *Diabetes Care* 2005;28:1277–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15920039

Friedrich M, Gittler G, Arendasy M, *et al.* Long-term effect of a combined exercise and motivational program on the level of disability of patients with chronic low back pain. *Spine* 2005;30:995–1000.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15864148&query_hl=25

Gabriel SR, Carmona L, Roque M, *et al.* Hormone replacement therapy for preventing cardiovascular disease in post-menopausal women. *Cochrane Database Syst Rev* 2005;(2):CD002229.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846631&query_hl=29

Galer BS, Lee D, Ma T, *et al.* MorphiDex (morphine sulfate/dextromethorphan hydrobromide combination) in the treatment of chronic pain: three multicenter, randomized, double-blind, controlled clinical trials fail to demonstrate enhanced opioid analgesia or reduction in tolerance. *Pain* 2005;115:284–95.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15911155&query_hl=54

Glazener C, Evans J, Cheuk D. Complementary and miscellaneous interventions for nocturnal enuresis in children. *Cochrane Database Syst Rev* 2005;(2):CD005230.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846744&query_hl=31

Glazener C, Evans J, Peto R. Alarm interventions for nocturnal enuresis in children. *Cochrane Database Syst Rev* 2005;(2):CD002911.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846643&query_hl=33

Gold C, Heldal T, Dahle T, et al. Music therapy for schizophrenia or schizophrenia-like illnesses. *Cochrane Database Syst Rev* 2005;(2):CD004025.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846692&query_hl=27

Gordon A, Jeffery H. Antibiotic regimens for suspected late onset sepsis in newborn infants. *Cochrane Database Syst Rev* 2005;(3):CD004501.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034935

Green S, Buchbinder R, Hetrick S. Acupuncture for shoulder pain. *Cochrane Database Syst Rev* 2005;(2):CD005319.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846753&query_hl=20

Hackett ML, Anderson CS, House AO. Management of depression after stroke: a systematic review of pharmacological therapies. *Stroke* 2005;**36**:1098–103.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15802637&query_hl=5

Hammaren-Malmi S, Saxen H, Tarkkanen J, et al. Adenoidectomy does not significantly reduce the incidence of otitis media in conjunction with the insertion of tympanostomy tubes in children who are younger than 4 years: a randomized trial. *Pediatrics* 2005;**116**:185–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15995051

Hamner JB. State of the science: posthospitalization nursing interventions in congestive heart failure. *ANS Adv Nurs Sci* 2005;**28**:175–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15920363&query_hl=7

Hartmann K, Viswanathan M, Palmieri R, et al. Outcomes of routine episiotomy: a systematic review. *JAMA* 2005;**293**:2141–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15870418&query_hl=35

- Hausel J, Nygren J, Thorell A, *et al.* Randomized clinical trial of the effects of oral preoperative carbohydrates on postoperative nausea and vomiting after laparoscopic cholecystectomy. *Br J Surg* 2005;92:415–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15739210&query_hl=6
- Hay EM, Mullis R, Lewis M, *et al.* Comparison of physical treatments versus a brief pain-management programme for back pain in primary care: a randomised clinical trial in physiotherapy practice. *Lancet* 2005;365:2024–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950716&query_hl=34
- Hayden JA, van Tulder MW, Malmivaara AV, *et al.* Meta-analysis: exercise therapy for nonspecific low back pain. *Ann Intern Med* 2005;142:765–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15867409&query_hl=22
- Hayden J, Tulder M, Malmivaara A, *et al.* Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev* 2005;(3):CD000335.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034851
- Hayden JA, van Tulder MW, Tomlinson G. Systematic review: strategies for using exercise therapy to improve outcomes in chronic low back pain. *Ann Intern Med* 2005;142:776–85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15867410&query_hl=24
- Henderson DC, Copeland PM, Daley TB, *et al.* A double-blind, placebo-controlled trial of sibutramine for olanzapine-associated weight gain. *Am J Psychiatry* 2005;162:954–62.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15863798&query_hl=26
- Henderson G, Fahey T, McGuire W. Calorie and protein-enriched formula versus standard term formula for improving growth and development in preterm or low birth weight infants following hospital discharge. *Cochrane Database Syst Rev* 2005;(2):CD004696.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846728&query_hl=37
- Heuts PH, de Bie R, Drietelaar M, *et al.* Self-management in osteoarthritis of hip or knee: a randomized clinical trial in a primary healthcare setting. *J Rheumatol* 2005;32:543–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15742451&query_hl=20

Hey K, Perera R. Competitions and incentives for smoking cessation. *Cochrane Database Syst Rev* 2005;(2):CD004307.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846705&query_hl=39

Hey K, Perera R. Quit and Win contests for smoking cessation. *Cochrane Database Syst Rev* 2005;(2):CD004986.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846739&query_hl=41

Hoagwood KE. Family-based services in children's mental health: a research review and synthesis. *J Child Psychol Psychiatry* 2005;**46**:690–713.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15972066

Hondras M, Linde K, Jones A. Manual therapy for asthma. *Cochrane Database Syst Rev* 2005;(2):CD001002.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846609&query_hl=22

Hui AC, Wong S, Leung CH, *et al.* A randomized controlled trial of surgery vs steroid injection for carpal tunnel syndrome. *Neurology* 2005;**64**:2074–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15985575

Hurwitz EL, Morgenstern H, Vassilaki M, *et al.* Frequency and clinical predictors of adverse reactions to chiropractic care in the UCLA neck pain study. *Spine* 2005;**30**:1477–84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15990659

Jayaram M, Hosalli P. Risperidone versus olanzapine for schizophrenia. *Cochrane Database Syst Rev* 2005;(2):CD005237.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846745&query_hl=43

Jellema P, van der Windt DA, van der Horst HE, *et al.* Should treatment of (sub)acute low back pain be aimed at psychosocial prognostic factors? Cluster randomised clinical trial in general practice. *BMJ* 2005;**331**:84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15967762

Jensen IB, Bergström G, Ljungquist T, *et al.* A 3-year follow-up of a multidisciplinary rehabilitation programme for back and neck pain. *Pain* 2005;**115**:273–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15911154&query_hl=56

- Johansson K, Nuutila L, Virtanen H, *et al*. Preoperative education for orthopaedic patients: systematic review. *J Adv Nurs* 2005;50:212–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15788086&query_hl=24
- Johnson N, Barlow D, Lethaby A, *et al*. Methods of hysterectomy: systematic review and meta-analysis of randomised controlled trials. *BMJ* 2005;330:1478.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15976422
- Jokhio AH, Winter HR, Cheng KK. An intervention involving traditional birth attendants and perinatal and maternal mortality in Pakistan. *N Engl J Med* 2005;352:2091–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15901862&query_hl=1
- Kalra L, Evans A, Perez I, *et al*. A randomised controlled comparison of alternative strategies in stroke care. *Health Technol Assess* 2005;9:1–94.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15890138&query_hl=9
- Kapur S, Arenovich T, Agid O, *et al*. Evidence for onset of antipsychotic effects within the first 24 hours of treatment. *Am J Psychiatry* 2005;162:939–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15863796&query_hl=28
- Kavanagh J, Kelly A, Thomas J. Breast stimulation for cervical ripening and induction of labour. *Cochrane Database Syst Rev* 2005;(3):CD003392.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034897
- Kawamoto K, Houlihan CA, Balas EA, *et al*. Improving clinical practice using clinical decision support systems: a systematic review of trials to identify features critical to success. *BMJ* 2005;330:765.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15767266&query_hl=26
- Kelley GA, Kelley KS, Vu Tran Z. Aerobic exercise, lipids and lipoproteins in overweight and obese adults: a meta-analysis of randomized controlled trials. *Int J Obes Relat Metab Disord* 2005;29:881–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824746
- Keymeulen B, Vandemeulebroucke E, Ziegler AG, *et al*. Insulin needs after CD3-antibody therapy in new-onset type 1 diabetes. *N Engl J Med* 2005;352:2598–608.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15972866

Khadilkar A, Milne S, Brosseau L, *et al.* Transcutaneous electrical nerve stimulation (TENS) for chronic low-back pain. *Cochrane Database Syst Rev* 2005;(3):CD003008.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034883

Khumalo N, Kirtschig G, Middleton P, *et al.* Interventions for bullous pemphigoid. *Cochrane Database Syst Rev* 2005;(3):CD002292.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034874

Kirchhof P, Monnig G, Wasmer K, *et al.* A trial of self-adhesive patch electrodes and hand-held paddle electrodes for external cardioversion of atrial fibrillation (MOBIPAPA). *Eur Heart J* 2005;**26**:1292–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15734772

Klauser CK, Christensen EE, Chauhan SP, *et al.* Use of fetal pulse oximetry among high-risk women in labor: a randomized clinical trial. *Am J Obstet Gynecol* 2005;**192**:1810–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970816&query_hl=59

Kokki H, Lintula H, Vanamo K, *et al.* Oxycodone vs placebo in children with undifferentiated abdominal pain: a randomized, double-blind clinical trial of the effect of analgesia on diagnostic accuracy. *Arch Pediatr Adolesc Med* 2005;**159**:320–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15809382&query_hl=29

Kolanowski AM, Litaker M, Buettner L. Efficacy of theory-based activities for behavioral symptoms of dementia. *Nurs Res* 2005;**54**:219–28.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027564

Kong S. Day treatment programme for patients with eating disorders: randomized controlled trial. *J Adv Nurs* 2005;**51**:5–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15941455

Krucoff MW, Crater SW, Gallup D, *et al.* Music, imagery, touch, and prayer as adjuncts to interventional cardiac care: the Monitoring and Actualisation of Noetic Trainings (MANTRA) II randomised study. *Lancet* 2005;**366**:211–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16023511

- Lancaster T, Stead L. Individual behavioural counselling for smoking cessation. *Cochrane Database Syst Rev* 2005;(2):CD001292.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846616&query_hl=45
- Langhorne P, Dey P, Woodman M, *et al.* Is stroke unit care portable? A systematic review of the clinical trials. *Age Ageing* 2005;34:324–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955755&query_hl=35
- Lanou AJ, Berkow SE, Barnard ND. Calcium, dairy products, and bone health in children and young adults: a reevaluation of the evidence. *Pediatrics* 2005;115:736–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15741380&query_hl=28
- Lapitan M, Cody Dj, Grant A. Open retropubic colposuspension for urinary incontinence in women. *Cochrane Database Syst Rev* 2005;(3):CD002912.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034879
- Lawn C, Weir F, McGuire W. Base administration or fluid bolus for preventing morbidity and mortality in preterm infants with metabolic acidosis. *Cochrane Database Syst Rev* 2005;(2):CD003215.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846651&query_hl=30
- Lee IM, Cook NR, Gaziano JM, *et al.* Vitamin E in the primary prevention of cardiovascular disease and cancer: the Women's Health Study: a randomized controlled trial. *JAMA* 2005;294:56–65.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15998891
- Lee OK, Johnston L. A systematic review for effective management of central venous catheters and catheter sites in acute care paediatric patients. *Worldviews on Evidence-Based Nursing* 2005;2:4–13. No PMID available.
- Lee WJ, Yu PJ, Wang W, *et al.* Laparoscopic Roux-en-Y versus mini-gastric bypass for the treatment of morbid obesity: a prospective randomized controlled clinical trial. *Ann Surg* 2005;242:20–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15973097
- Levri KM, Ketvertis K, Deramo M, *et al.* Do probiotics reduce adult lactose intolerance? A systematic review. *J Fam Pract* 2005;54:613–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16009090

Lewis R, Bagnall AM, Leitner M. Sertindole for schizophrenia. *Cochrane Database Syst Rev* 2005;(3):CD001715.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034864

Li Z, Maglione M, Tu W, et al. Meta-analysis: pharmacologic treatment of obesity. *Ann Intern Med* 2005;142:532–46.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15809465&query_hl=30

Linde K, Mulrow C, Berner M, et al. St John's Wort for depression. *Cochrane Database Syst Rev* 2005;(2):CD000448.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846605&query_hl=49

Linde K, Streng A, Jürgens S, et al. Acupuncture for patients with migraine: a randomized controlled trial. *JAMA* 2005;293:2118–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15870415&query_hl=47

Lock J, Agras WS, Bryson S, et al. A comparison of short- and long-term family therapy for adolescent anorexia nervosa. *J Am Acad Child Adolesc Psychiatry* 2005;44:632–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15968231

Magar Y, Vervloet D, Steenhouwer F, et al. Assessment of a therapeutic education programme for asthma patients: “un souffle nouveau”. *Patient Educ Couns* 2005;58:41–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950835

Maggard MA, Shugarman LR, Suttorp M, et al. Meta-analysis: surgical treatment of obesity. *Ann Intern Med* 2005;142:547–59.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15809466&query_hl=32

Maier PC, Funk J, Schwarzer G, et al. Treatment of ocular hypertension and open angle glaucoma: meta-analysis of randomised controlled trials. *BMJ* 2005;331:134.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994659

Malone JK, Bai S, Campagne BN, et al. Twice-daily pre-mixed insulin rather than basal insulin therapy alone results in better overall glycaemic control in patients with type 2 diabetes. *Diabet Med* 2005;22:374–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15787659&query_hl=32

Malone R, LaForce C, Nimmagadda S, *et al.* The safety of twice-daily treatment with fluticasone propionate and salmeterol in pediatric patients with persistent asthma. *Ann Allerg Asthma Immunol* 2005;95:66–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16095144&query_hl=2

Mazières B, Rouanet S, Velicy J, *et al.* Topical ketoprofen patch (100 mg) for the treatment of ankle sprain: a randomized, double-blind, placebo-controlled study. *Am J Sports Med* 2005;33:515–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15722295&query_hl=11

McCormick DP, Chonmaitree T, Pittman C, *et al.* Nonsevere acute otitis media: a clinical trial comparing outcomes of watchful waiting versus immediate antibiotic treatment.

Pediatrics 2005;115:1455–65.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15930204&query_hl=13

McCurry SM, Gibbons LE, Logsdon RG, *et al.* Nighttime insomnia treatment and education for Alzheimer's disease: a randomized, controlled trial. *J Am Geriatr Soc* 2005;53:793–802.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15877554&query_hl=34

McDougle CJ, Scahill L, Aman MG, *et al.* Risperidone for the core symptom domains of autism: results from the study by the Autism Network of the Research Units on Pediatric Psychopharmacology. *Am J Psychiatry* 2005;162:1142–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15930063&query_hl=15

McFall M, Saxon AJ, Thompson CE, *et al.* Improving the rates of quitting smoking for veterans with posttraumatic stress disorder. *Am J Psychiatry* 2005;162:1311–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994714

McIntyre J, Robertson S, Norris E, *et al.* Safety and efficacy of buccal midazolam versus rectal diazepam for emergency treatment of seizures in children: a randomised controlled trial. *Lancet* 2005;366:205–10.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16023510

McMurdo ME, Bissett LY, Price RJ, *et al.* Does ingestion of cranberry juice reduce symptomatic urinary tract infections in older people in hospital? A double-blind, placebo-controlled trial. *Age Ageing* 2005;34:256–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15863410&query_hl=36

Mead G, Elder A, Flapan A, *et al.* Electrical cardioversion for atrial fibrillation and flutter. *Cochrane Database Syst Rev* 2005;(3):CD002903.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034878

Milne A, Potter J, Avenell A. Protein and energy supplementation in elderly people at risk from malnutrition. *Cochrane Database Syst Rev* 2005;(2):CD003288.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846655&query_hl=31

Milo G, Katchman E, Paul M, *et al.* Duration of antibacterial treatment for uncomplicated urinary tract infection in women. *Cochrane Database Syst Rev* 2005;(2):CD004682.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846726&query_hl=34

Mitra A, Bassler D, Goodman K, *et al.* Intravenous aminophylline for acute severe asthma in children over two years receiving inhaled bronchodilators. *Cochrane Database Syst Rev* 2005;(2):CD001276.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846615&query_hl=51

Moher M, Hey K, Lancaster T. Workplace interventions for smoking cessation.

Cochrane Database Syst Rev 2005;(2):CD003440.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846667&query_hl=53

Nair S, Thomas E, Pearson SB, *et al.* A randomized controlled trial to assess the optimal dose and effect of nebulized albuterol in acute exacerbations of COPD. *Chest* 2005;128:48–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16002915

Nestaas E, Bangstad HJ, Sandvik L, *et al.* Aminoglycoside extended interval dosing in neonates is safe and effective: a meta-analysis. *Arch Dis Child Fetal Neonatal Ed* 2005; 90:F294–300.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15857879

Newby E, Sawczenko A, Thomas A, *et al.* Interventions for growth failure in childhood Crohn's disease. *Cochrane Database Syst Rev* 2005;(3):CD003873.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034910

Ni J, Wei J, Wu T. Vitamin A for non-measles pneumonia in children. *Cochrane Database Syst Rev* 2005;(3):CD003700.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034908

Nickel MK, Nickel C, Muehlbacher M, *et al.* Influence of topiramate on olanzapine-related adiposity in women: a random, double-blind, placebo-controlled study. *J Clin Psychopharmacol* 2005;**25**:211–17.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15876898&query_hl=5

Nicolson R, Craven-Thuss B, Smith J, *et al.* A randomized, double-blind, placebo-controlled trial of metoclopramide for the treatment of Tourette's disorder. *J Am Acad Child Adolesc Psychiatry* 2005;**44**:640–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15968232

Niel-Weise B, van den Broek P. Urinary catheter policies for short-term bladder drainage in adults. *Cochrane Database Syst Rev* 2005;(3):CD004203.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034924

Niel-Weise B, van den Broek P. Antibiotic policies for short-term catheter bladder drainage in adults. *Cochrane Database Syst Rev* 2005;(3):CD005428.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034973

Nista EC, Candelli M, Zocco MA, *et al.* Moxifloxacin-based strategies for first-line treatment of *Helicobacter pylori* infection. *Aliment Pharmacol Ther* 2005;**21**:1241–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15882245&query_hl=33

Nordmann A, Bucher H, Hengstler P, *et al.* Primary stenting versus primary balloon angioplasty for treating acute myocardial infarction. *Cochrane Database Syst Rev* 2005;(2):CD005313.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846752&query_hl=55

Norris S, Zhang X, Avenell A, *et al.* Long-term non-pharmacologic weight loss interventions for adults with type 2 diabetes. *Cochrane Database Syst Rev* 2005;(2):CD004095.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846698&query_hl=36

Ntais C, Pakos E, Kyzas P, *et al.* Benzodiazepines for alcohol withdrawal. *Cochrane Database Syst Rev* 2005;(3):CD005063.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034964

Osborn D, Jeffery H, Cole M. Opiate treatment for opiate withdrawal in newborn infants. *Cochrane Database Syst Rev* 2005;(3):CD002059.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034871

Osmers R, Friede M, Liske E, *et al.* Efficacy and safety of isopropanolic black cohosh extract for climacteric symptoms. *Obstet Gynecol* 2005;**105**:1074–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15863547&query_hl=38

Ostrander RV, Botte MJ, Brage ME. Efficacy of surgical preparation solutions in foot and ankle surgery. *J Bone Joint Surg Am* 2005;**87**:980–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15866959&query_hl=36

Pachler J, Wille-Jørgensen P. Quality of life after rectal resection for cancer, with or without permanent colostomy. *Cochrane Database Syst Rev* 2005;(2):CD004323.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846707&query_hl=41

Paramothayan N, Lasserson T, Jones P. Corticosteroids for pulmonary sarcoidosis. *Cochrane Database Syst Rev* 2005;(2):CD001114.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846612&query_hl=57

Paramothayan N, Lasserson T, Wells A, *et al.* Prostacyclin for pulmonary hypertension in adults. *Cochrane Database Syst Rev* 2005;(2):CD002994.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846646&query_hl=35

Parker M, Gillespie W, Gillespie L. Hip protectors for preventing hip fractures in older people. *Cochrane Database Syst Rev* 2005;(3):CD001255.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034859

Patole SK, Rao S, Doherty D. Erythromycin as a prokinetic agent in preterm neonates—a systematic review. *Arch Dis Child Fetal Neonatal Ed* 2005;**90**: F301–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15899929

Paul M, Borok S, Fraser A, *et al*. Additional anti-Gram-positive antibiotic treatment for febrile neutropenic cancer patients. *Cochrane Database Syst Rev* 2005;(3):CD003914.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034915

Peloso P, Gross A, Haines T, *et al*, Cervical Overview Group. Medicinal and injection therapies for mechanical neck disorders. *Cochrane Database Syst Rev* 2005;(2):CD000319.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846603&query_hl=1

Penny ME, Creed-Kanashiro HM, Robert RC, *et al*. Effectiveness of an educational intervention delivered through the health services to improve nutrition in young children: a cluster-randomised controlled trial. *Lancet* 2005;**365**:1863–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15924983&query_hl=61

Perrotta C, Ortiz Z, Roque M. Chest physiotherapy for acute bronchiolitis in paediatric patients between 0 and 24 months old. *Cochrane Database Syst Rev* 2005;(2):CD004873.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846736&query_hl=59

Pichichero ME, Rennels MB, Edwards KM, *et al*. Combined tetanus, diphtheria, and 5-component pertussis vaccine for use in adolescents and adults. *JAMA* 2005;**293**:3003–11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15933223

Pieber TR, Draeger E, Kristensen A, *et al*. Comparison of three multiple injection regimens for Type 1 diabetes: morning plus dinner or bedtime administration of insulin detemir vs. morning plus bedtime NPH insulin. *Diabet Med* 2005;**22**:850–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15975098

Plank J, Siebenhofer A, Berghold A, *et al*. Systematic review and meta-analysis of short-acting insulin analogues in patients with diabetes mellitus. *Arch Intern Med* 2005;**165**:1337–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15983281

Pleskow W, Grubbe R, Weiss S, *et al*. Efficacy and safety of an extended-release formulation of desloratadine and pseudoephedrine vs the individual components in the treatment of seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2005;**94**:348–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15801245&query_hl=43

Polycarpou A, Papanikolaou P, Ioannidis J, *et al.* Anticonvulsants for alcohol withdrawal. *Cochrane Database Syst Rev* 2005;(3):CD005064.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034965

Porthouse J, Cockayne S, King C, *et al.* Randomised controlled trial of calcium and supplementation with cholecalciferol (vitamin D3) for prevention of fractures in primary care. *BMJ* 2005;**330**:1003.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15860827&query_hl=38

Powell M, Seid M, Szer IS. Efficacy of custom foot orthotics in improving pain and functional status in children with juvenile idiopathic arthritis: a randomized trial. *J Rheumatol* 2005;**32**:943–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15868634&query_hl=40

Puhan MA, Schünemann HJ, Frey M, *et al.* How should COPD patients exercise during respiratory rehabilitation? Comparison of exercise modalities and intensities to treat skeletal muscle dysfunction. *Thorax* 2005;**60**:367–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15860711&query_hl=3

Quartero A, Meineche-Schmidt V, Muris J, *et al.* Bulking agents, antispasmodic and antidepressant medication for the treatment of irritable bowel syndrome. *Cochrane Database Syst Rev* 2005;(2):CD003460.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846668&query_hl=45

Quijano C, Abalos E. Conservative management of symptomatic and/or complicated haemorrhoids in pregnancy and the puerperium. *Cochrane Database Syst Rev* 2005;(3):CD004077.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034920

Qureshi F, Zaritsky A, Welch C, *et al.* Clinical efficacy of racemic albuterol versus levalbuterol for the treatment of acute pediatric asthma. *Ann Emerg Med* 2005;**46**:29–36.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15988423

Rasmussen LM, Phanareth K, Nolte H, *et al.* Internet-based monitoring of asthma: a long-term, randomized clinical study of 300 asthmatic subjects. *J Allergy Clin Immunol* 2005;**115**:1137–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15940125&query_hl=17

Ratner R, Goldberg R, Haffner S, *et al*; Diabetes Prevention Program Research Group. Impact of intensive lifestyle and metformin therapy on cardiovascular disease risk factors in the Diabetes Prevention Program. *Diabetes Care* 2005;28:888–94.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15793191&query_hl=1

Reardon CC, Christiansen D, Barnett ED, *et al*. Intrapulmonary percussive ventilation vs incentive spirometry for children with neuromuscular disease. *Arch Pediatr Adolesc Med* 2005;159:526–31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15939850&query_hl=45

Richardson AJ, Montgomery P. The Oxford-Durham study: a randomized, controlled trial of dietary supplementation with fatty acids in children with developmental coordination disorder. *Pediatrics* 2005;115:1360–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15867048&query_hl=47

Richeldi L, Ferrara G, Fabbri L, *et al*. Macrolides for chronic asthma. *Cochrane Database Syst Rev* 2005;(3):CD002997.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034882

Rosenstock J, Dailey G, Massi-Benedetti M, *et al*. Reduced hypoglycemia risk with insulin glargine: a meta-analysis comparing insulin glargine with human NPH insulin in type 2 diabetes. *Diabetes Care* 2005;28:950–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15793205&query_hl=49

Ross AM, Gibbons RJ, Stone GW, *et al*. A randomized, double-blinded, placebo-controlled multicenter trial of adenosine as an adjunct to reperfusion in the treatment of acute myocardial infarction (AMISTAD-II). *J Am Coll Cardiol* 2005;45:1775–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15936605

Royal S, Kendrick D, Coleman T. Non-legislative interventions for the promotion of cycle helmet wearing by children. *Cochrane Database Syst Rev* 2005;(2):CD003985.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846689&query_hl=37

Rubak S, Sandbaek A, Lauritzen T, *et al*. Motivational interviewing: a systematic review and meta-analysis. *Br J Gen Pract* 2005;55:305–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15826439&query_hl=42

Saarto T, Wiffen P. Antidepressants for neuropathic pain. *Cochrane Database Syst Rev* 2005;(3):CD005454.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034979

Saenz A, Fernandez-Esteban I, Mataix A, *et al.* Metformin monotherapy for type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2005;(3):CD002966.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034881

Sasse E, Sasse A, Brandalise S, *et al.* Colony stimulating factors for prevention of myelosuppressive therapy induced febrile neutropenia in children with acute lymphoblastic leukaemia. *Cochrane Database Syst Rev* 2005;(3):CD004139.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034921

Scheier MF, Helgeson VS, Schulz R, *et al.* Interventions to enhance physical and psychological functioning among younger women who are ending nonhormonal adjuvant treatment for early-stage breast cancer. *J Clin Oncol* 2005;23:4298–311.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994143

Schneider RH, Alexander CN, Staggers F, *et al.* Long-term effects of stress reduction on mortality in persons > or = 55 years of age with systemic hypertension. *Am J Cardiol* 2005;95:1060–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15842971&query_hl=44

Serebruany VL, Steinhubl SR, Berger PB, *et al.* Analysis of risk of bleeding complications after different doses of aspirin in 192,036 patients enrolled in 31 randomized controlled trials. *Am J Cardiol* 2005;95:1218–22.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15877994&query_hl=5

Shaw K, O'Rourke P, Del Mar C, *et al.* Psychological interventions for overweight or obesity. *Cochrane Database Syst Rev* 2005;(2):CD003818.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846683&query_hl=46

Shear K, Frank E, Houck PR, *et al.* Treatment of complicated grief: a randomized controlled trial. *JAMA* 2005;293:2601–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15928281&query_hl=19

Shefet D, Robenshtock E, Paul M, *et al.* Empiric antibiotic coverage of atypical pathogens for community acquired pneumonia in hospitalized adults. *Cochrane Database Syst Rev* 2005;(2):CD004418.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846713&query_hl=61

Sherman DG, Kim SG, Boop BS, *et al.* Occurrence and characteristics of stroke events in the Atrial Fibrillation Follow-up Investigation of Sinus Rhythm Management (AFFIRM) study. *Arch Intern Med* 2005;165:1185–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15911734

Shively M, Kodiath M, Smith TL, *et al.* Effect of behavioral management on quality of life in mild heart failure: a randomized controlled trial. *Patient Educ Couns* 2005;58:27–34.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950833

Sinclair AJ, Conroy SP, Davies M, *et al.* Post-discharge home-based support for older cardiac patients: a randomised controlled trial. *Age Ageing* 2005;34:338–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955757&query_hl=37

Sjogren T, Nissinen KJ, Jarvenpaa SK, *et al.* Effects of a workplace physical exercise intervention on the intensity of headache and neck and shoulder symptoms and upper extremity muscular strength of office workers: a cluster randomized controlled cross-over trial. *Pain* 2005;116:119–28.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15927388

Skyler JS, Weinstock RS, Raskin P, *et al.* Use of inhaled insulin in a basal/bolus insulin regimen in Type 1 diabetic subjects: a 6-month, randomized, comparative trial. *Diabetes Care* 2005;28:1630–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15983312

Spandorfer PR, Alessandrini EA, Joffe MD, *et al.* Oral versus intravenous rehydration of moderately dehydrated children: a randomized, controlled trial. *Pediatrics* 2005;115:295–301.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15687435&query_hl=51

Stead L, Lancaster T. Group behaviour therapy programmes for smoking cessation. *Cochrane Database Syst Rev* 2005;(2):CD001007.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846610&query_hl=63

Stewart KJ, Bacher AC, Turner KL, *et al.* Effect of exercise on blood pressure in older persons: a randomized controlled trial. *Arch Intern Med* 2005;165:756–62.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824294&query_hl=48

Studer M, Briel M, Leimenstoll B, *et al.* Effect of different antilipidemic agents and diets on mortality: a systematic review. *Arch Intern Med* 2005;165:725–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824290&query_hl=53

Tan-Dy C, Ohlsson A. Lactase treated feeds to promote growth and feeding tolerance in preterm infants. *Cochrane Database Syst Rev* 2005;(2):CD004591.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846722&query_hl=55

Tooher R, Middleton P, Pham C, *et al.* A systematic review of strategies to improve prophylaxis for venous thromboembolism in hospitals. *Ann Surg* 2005;241:397–415.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15729062&query_hl=50

Towheed T, Maxwell L, Anastassiades T, *et al.* Glucosamine therapy for treating osteoarthritis. *Cochrane Database Syst Rev* 2005;(2):CD002946.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846645&query_hl=65

Tsay SL, Lee YC, Lee YC. Effects of an adaptation training programme for patients with end-stage renal disease. *J Adv Nurs* 2005;50:39–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15788064&query_hl=52

Usichenko TI, Dinse M, Hermsen M, *et al.* Auricular acupuncture for pain relief after total hip arthroplasty—a randomized controlled study. *Pain* 2005;114:320–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15777857&query_hl=54

Vanderwee K, Grypdonck MH, Defloor T. Effectiveness of an alternating pressure air mattress for the prevention of pressure ulcers. *Age Ageing* 2005;34:261–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15764622&query_hl=56

Van Meurs KP, Wright LL, Ehrenkranz RA, *et al.* Inhaled nitric oxide for premature infants with severe respiratory failure. *N Engl J Med* 2005;353:13–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16000352

Varli IH, Lindelius A, Bergstrom M. Is preoperative vaginal cleansing necessary for control of infection after first trimester vacuum curettage? *Acta Obstet Gynecol Scand* 2005;84:650–3.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15954874

Veldhuyzen van Zanten SJ, Chiba N, Armstrong D, et al. A randomized trial comparing omeprazole, ranitidine, cisapride, or placebo in *Helicobacter pylori* negative, primary care patients with dyspepsia: The CADET-HN study. *Am J Gastroenterol* 2005;100:1477–88.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15984968

Vergara M, Catalán M, Gisbert JP, et al. Meta-analysis: role of *Helicobacter pylori* eradication in the prevention of peptic ulcer in NSAID users. *Aliment Pharmacol Ther* 2005;21:1411–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15948807&query_hl=38

Vermeire E, Wens J, Van Royen P, et al. Interventions for improving adherence to treatment recommendations in people with type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2005;(2):CD003638.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846672&query_hl=67

Vettor R, Serra R, Fabris R, et al. Effect of sibutramine on weight management and metabolic control in type 2 diabetes: a meta-analysis of clinical studies. *Diabetes Care* 2005;28:942–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15793204&query_hl=57

Viswanathan M, Hartmann K, Palmieri R, et al. The use of episiotomy in obstetrical care: a systematic review. *Evid Rep Technol Assess (Summ)* 2005:1–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15910014&query_hl=21

Wada T, Sasaki M, Kataoka H, et al. Efficacy of famotidine and omeprazole in healing symptoms of non-erosive gastro-oesophageal reflux disease: randomized-controlled study of gastro-oesophageal reflux disease. *Aliment Pharmacol Ther* 2005;21(Suppl 2):2–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15943840&query_hl=23

Wang MY, Wang SY, Tsai PS. Cognitive behavioural therapy for primary insomnia: a systematic review. *J Adv Nurs* 2005;50:553–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15882372&query_hl=58

Weiss M, Tannock R, Kratochvil C, *et al.* A randomized, placebo-controlled study of once-daily atomoxetine in the school setting in children with ADHD. *J Am Acad Child Adolesc Psychiatry* 2005;44:647–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15968233

Wells D, Gillies D, Fitzgerald D. Positioning for acute respiratory distress in hospitalised infants and children. *Cochrane Database Syst Rev* 2005;(2):CD003645.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846674&query_hl=69

Wells PS, Anderson DR, Rodger MA, *et al.* A randomized trial comparing 2 low-molecular-weight heparins for the outpatient treatment of deep vein thrombosis and pulmonary embolism. *Arch Intern Med* 2005;165:733–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824291&query_hl=59

Welschen L, Bloemendaal E, Nijpels G, *et al.* Self-monitoring of blood glucose in patients with type 2 diabetes who are not using insulin. *Cochrane Database Syst Rev* 2005;(2):CD005060.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846742&query_hl=60

Welschen LM, Bloemendaal E, Nijpels G, *et al.* Self-monitoring of blood glucose in patients with type 2 diabetes who are not using insulin: a systematic review. *Diabetes Care* 2005;28:1510–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15920083

Whitlock EP, Williams SB, Gold R, *et al.* Screening and interventions for childhood overweight: a summary of evidence for the US Preventive Services Task Force. *Pediatrics* 2005;116:e125–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15995013

Widness JA, Madan A, Grindeanu LA, *et al.* Reduction in red blood cell transfusions among preterm infants: results of a randomized trial with an in-line blood gas and chemistry monitor. *Pediatrics* 2005;115:1299–306.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15867038&query_hl=61

Wilby J, Kainth A, Hawkins N, *et al.* Clinical effectiveness, tolerability and cost-effectiveness of newer drugs for epilepsy in adults: a systematic review and economic evaluation. *Health Technol Assess* 2005;9:1–157, iii–iv.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15842952&query_hl=63

Wingerchuk DM, Benarroch EE, O'Brien PC, *et al.* A randomized controlled crossover trial of aspirin for fatigue in multiple sclerosis. *Neurology* 2005;**64**:1267–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824361&query_hl=39

Witt C, Brinkhaus B, Jena S, *et al.* Acupuncture in patients with osteoarthritis of the knee: a randomised trial. *Lancet* 2005;**366**:136–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16005336

Wong FK, Mok MP, Chan T, *et al.* Nurse follow-up of patients with diabetes: randomized controlled trial. *J Adv Nurs* 2005;**50**:391–402.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15842446&query_hl=62

Wright JH, Wright AS, Albano AM, *et al.* Computer-assisted cognitive therapy for depression: maintaining efficacy while reducing therapist time. *Am J Psychiatry* 2005;**162**:1158–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15930065&query_hl=27

Wulffele MG, Kooy A, Lehert P, *et al.* Does metformin decrease blood pressure in patients with Type 2 diabetes intensively treated with insulin? *Diabet Med* 2005;**22**:907–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15975107

Yorke J, Shuldhham C. Family therapy for chronic asthma in children. *Cochrane Database Syst Rev* 2005;(2):CD000089.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846599&query_hl=71

Zeiger RS, Bird SR, Kaplan MS, *et al.* Short-term and long-term asthma control in patients with mild persistent asthma receiving montelukast or fluticasone: a randomized controlled trial. *Am J Med* 2005;**118**:649–57.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15922697&query_hl=63

Zullo A, Gatta L, De Francesco V, *et al.* High rate of *Helicobacter pylori* eradication with sequential therapy in elderly patients with peptic ulcer: a prospective controlled study. *Aliment Pharmacol Ther* 2005;**21**:1419–24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15948808&query_hl=39

Assessment (screening or diagnosis)

Goldstein LB, Simel DL. Is this patient having a stroke? *JAMA* 2005;293:2391–402.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15900010&query_hl=64

Reuchlin-Vroklage LM, Bierma-Zeinstra S, Benninga MA, *et al.* Diagnostic value of abdominal radiography in constipated children: a systematic review. *Arch Pediatr Adolesc Med* 2005;159:671–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15997002

Roy PM, Colombet I, Durieux P, *et al.* Systematic review and meta-analysis of strategies for the diagnosis of suspected pulmonary embolism. *BMJ* 2005;331:259.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16052017

Wang WH, Huang JQ, Zheng GF, *et al.* Is proton pump inhibitor testing an effective approach to diagnose gastroesophageal reflux disease in patients with noncardiac chest pain? A meta-analysis. *Arch Intern Med* 2005;165:1222–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15956000

Prognosis

Albertsen PC, Hanley JA, Fine J. 20-year outcomes following conservative management of clinically localized prostate cancer. *JAMA* 2005;293:2095–101.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15870412&query_hl=73

Berry C, Hogg K, Norrie J, *et al.* Heart failure with preserved left ventricular systolic function: a hospital cohort study. *Heart* 2005;91:907–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15958359

Boyle SH, Williams RB, Mark DB, *et al.* Hostility, age, and mortality in a sample of cardiac patients. *Am J Cardiol* 2005;96:64–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15979435

Hack M, Taylor HG, Drotar D, *et al.* Chronic conditions, functional limitations, and special health care needs of school-aged children born with extremely low-birth-weight in the 1990s. *JAMA* 2005;294:318–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16030276

Hintz SR, Kendrick DE, Vohr BR, *et al* for the National Institute of Child Health and Human Development Neonatal Research Network. Changes in neurodevelopmental outcomes at 18 to 22 months' corrected age among infants of less than 25 weeks' gestational age born in 1993–1999. *Pediatrics* 2005;**115**:1645–51.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15930228&query_hl=29

Hui DS, Joynt GM, Wong KT, *et al*. Impact of severe acute respiratory syndrome (SARS) on pulmonary function, functional capacity and quality of life in a cohort of survivors. *Thorax* 2005;**60**:401–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15860716&query_hl=7

Lavados PM, Sacks C, Prina L, *et al*. Incidence, 30-day case-fatality rate, and prognosis of stroke in Iquique, Chile: a 2-year community-based prospective study (PISCIS project). *Lancet* 2005;**365**:2206–15.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15978929

Marini C, De Santis F, Sacco S, *et al*. Contribution of atrial fibrillation to incidence and outcome of ischemic stroke: results from a population-based study. *Stroke* 2005;**36**:1115–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15879330&query_hl=31

Ruigomez A, Rodriguez LA, Wallander MA, *et al*. Gastroesophageal reflux disease and asthma: a longitudinal study in UK general practice. *Chest* 2005;**128**:85–93.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16002920

Causation

Beral V, Bull D, Reeves G; Million Women Study Collaborators. Endometrial cancer and hormone-replacement therapy in the Million Women Study. *Lancet* 2005;**365**:1543–51.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15866308&query_hl=3

Bernatsky S, Hudson M, Suissa S. Anti-rheumatic drug use and risk of hospitalization for congestive heart failure in rheumatoid arthritis. *Rheumatology (Oxford)* 2005;**44**:677–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15784627&query_hl=41

Bigaard J, Frederiksen K, Tjønneland A, *et al.* Waist circumference and body composition in relation to all-cause mortality in middle-aged men and women. *Int J Obes Relat Metab Disord*. 2005;29:778–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15917857&query_hl=40

Cardis E, Vrijheid M, Blettner M, *et al.* Risk of cancer after low doses of ionising radiation: retrospective cohort study in 15 countries. *BMJ* 2005;331:77.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15987704

Erlangsen A, Vach W, Jeune B. The effect of hospitalization with medical illnesses on the suicide risk in the oldest old: a population-based register study. *J Am Geriatr Soc* 2005;53:771–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15877551&query_hl=65

Feigin V, Parag V, Lawes CM, *et al.* Smoking and elevated blood pressure are the most important risk factors for subarachnoid hemorrhage in the Asia-pacific region: an overview of 26 cohorts involving 306,620 participants. *Stroke* 2005;36:1360–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15933249

Forest JC, Girouard J, Massé J, *et al.* Early occurrence of metabolic syndrome after hypertension in pregnancy. *Obstet Gynecol* 2005;105:1373–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15932832&query_hl=33

Frost L, Hune LJ, Vestergaard P. Overweight and obesity as risk factors for atrial fibrillation or flutter: the Danish Diet, Cancer, and Health Study. *Am J Med* 2005;118:489–95.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15866251&query_hl=35

Getahun D, Ananth CV, Selvam N, *et al.* Adverse perinatal outcomes among interracial couples in the United States. *Obstet Gynecol* 2005;106:81–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994621

Grundy E, Tomassini C. Fertility history and health in later life: a record linkage study in England and Wales. *Soc Sci Med* 2005;61:217–28.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15847974

Hemminki E, Shelley J, Gissler M. Mode of delivery and problems in subsequent births: a register-based study from Finland. *Am J Obstet Gynecol* 2005;193:169–77.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16021075

Iversen L, Hannaford PC, Elliott AM, *et al.* Long term effects of hysterectomy on mortality: nested cohort study. *BMJ* 2005;**330**:1482.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15930026

Jain MG, Miller AB, Rohan TE, *et al.* Body mass index and mortality in women: follow-up of the Canadian National Breast Screening Study cohort. *Int J Obes Relat Metab Disord* 2005;**29**:792–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15809663&query_hl=41

Korodi Z, Wang X, Tedeschi R, *et al.* No serological evidence of association between prostate cancer and infection with herpes simplex virus type 2 or human herpes virus type 8: a nested case-control study. *J Infect Dis* 2005;**191**:2008–11.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15897985&query_hl=65

Larsson HJ, Eaton WW, Madsen KM, *et al.* Risk factors for autism: perinatal factors, parental psychiatric history, and socioeconomic status. *Am J Epidemiol* 2005;**161**:916–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15870155&query_hl=43

Lawlor DA, Leon DA. Association of body mass index and obesity measured in early childhood with risk of coronary heart disease and stroke in middle age: findings from the Aberdeen Children of the 1950s prospective cohort study. *Circulation* 2005;**111**:1891–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15837941&query_hl=66

Little MP, Brocard P, Elliott P, *et al.* Hemoglobin concentration in pregnancy and perinatal mortality: a London-based cohort study. *Am J Obstet Gynecol* 2005;**193**:220–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16021083

Lu M, Cho E, Taylor A, *et al.* Prospective study of dietary fat and risk of cataract extraction among US women. *Am J Epidemiol* 2005;**161**:948–59.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15870159&query_hl=45

Magnusson PK, Gunnell D, Tynelius P, *et al.* Strong inverse association between height and suicide in a large cohort of Swedish men: evidence of early life origins of suicidal behavior? *Am J Psychiatry* 2005;**162**:1373–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994722

Mamun AA, Lawlor DA, O'Callaghan MJ, *et al.* Family and early life factors associated with changes in overweight status between ages 5 and 14 years: findings from the Mater University Study of Pregnancy and its outcomes. *Int J Obes Relat Metab Disord* 2005;29:475–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15753954&query_hl=10

Ponce NA, Hoggatt KJ, Wilhelm M, *et al.* Preterm Birth: The interaction of traffic-related air pollution with economic hardship in Los Angeles neighborhoods. *Am J Epidemiol* 2005;162:140–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15972941

Rugulies R, Krause N. Job strain, iso-strain, and the incidence of low back and neck injuries. A 7.5-year prospective study of San Francisco transit operators. *Soc Sci Med* 2005;61:27–39.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15847959

Salihu HM, Bekan B, Aliyu MH, *et al.* Perinatal mortality associated with abruptio placenta in singletons and multiples. *Am J Obstet Gynecol* 2005;193:198–203.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16021079

Takkouche B, Etminan M, Montes-Martínez A. Personal use of hair dyes and risk of cancer: a meta-analysis. *JAMA* 2005;293:2516–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15914752&query_hl=68

Tankó LB, Bagger YZ, Qin G, *et al.* Enlarged waist combined with elevated triglycerides is a strong predictor of accelerated atherogenesis and related cardiovascular mortality in postmenopausal women. *Circulation* 2005;111:1883–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15837940&query_hl=70

Teplin LA, McClelland GM, Abram KM, *et al.* Early violent death among delinquent youth: a prospective longitudinal study. *Pediatrics* 2005;115:1586–93.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15930220&query_hl=37

Uotinen V, Rantanen T, Suutama T. Perceived age as a predictor of old age mortality: a 13-year prospective study. *Age Ageing* 2005;34:368–72.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15899910&query_hl=42

Wasswa-Kintu S, Gan WQ, Man SF, *et al.* Relationship between reduced forced expiratory volume in one second and the risk of lung cancer: a systematic review and meta-analysis. *Thorax* 2005;60:570–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994265

Webb R, Abel K, Pickles A, *et al.* Mortality in offspring of parents with psychotic disorders: a critical review and meta-analysis. *Am J Psychiatry* 2005;162:1045–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15930050&query_hl=25

Whiteley L, Padmanabhan S, Hole D, *et al.* Should diabetes be considered a coronary heart disease risk equivalent? Results from 25 years of follow-up in the Renfrew and Paisley survey. *Diabetes Care* 2005;28:1588–93.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15983305

Zimmerman FJ, Christakis DA. Children's television viewing and cognitive outcomes: a longitudinal analysis of national data. *Arch Pediatr Adolesc Med* 2005;159:619–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15996993

Economics

Bansback NJ, Brennan A, Ghatnekar O. Cost effectiveness of adalimumab in the treatment of patients with moderate to severe rheumatoid arthritis in Sweden. *Ann Rheum Dis* 2005;64:995–1002.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15550533

Johnston JA, Brill-Edwards P, Ginsberg JS, *et al.* Cost-effectiveness of prophylactic low molecular weight heparin in pregnant women with a prior history of venous thromboembolism. *Am J Med* 2005;118:503–14.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15866253&query_hl=39

Lacey LA, Wolf A, O'Shea D, *et al.* Cost-effectiveness of orlistat for the treatment of overweight and obese patients in Ireland. *Int J Obes Relat Metab Disord* 2005;29:975–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15852050

Lam DH, McCrone P, Wright K, *et al*. Cost-effectiveness of relapse-prevention cognitive therapy for bipolar disorder: 30-month study. *Br J Psychiatry* 2005;186:500–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15928361

Raftery JP, Yao GL, Murchie P, *et al*. Cost effectiveness of nurse led secondary prevention clinics for coronary heart disease in primary care: follow up of a randomised controlled trial. *BMJ* 2005;330:707.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15716289&query_hl=72

Walsh B, Steiner A, Pickering RM, *et al*. Economic evaluation of nurse led intermediate care versus standard care for post-acute medical patients: cost minimisation analysis of data from a randomised controlled trial. *BMJ* 2005;330:699.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15757959&query_hl=74

Clinical prediction guides

Aujesky D, Auble TE, Yealy DM, *et al*. Prospective comparison of three validated prediction rules for prognosis in community-acquired pneumonia. *Am J Med* 2005;118:384–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15808136&query_hl=75

Berry CA, Quinn K, Wolf R, *et al*. Validation of the Spanish and English versions of the asthma portion of the Brief Pediatric Asthma Screen Plus among Hispanics. *Ann Allerg Asthma Immunol* 2005;95:53–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16095142&query_hl=1

Coventry PA, Grande GE, Richards DA, *et al*. Prediction of appropriate timing of palliative care for older adults with non-malignant life-threatening disease: a systematic review. *Age Ageing* 2005;34:218–27.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15863407&query_hl=67

Garzotto M, Beer TM, Hudson RG, *et al*. Improved detection of prostate cancer using classification and regression tree analysis. *J Clin Oncol* 2005;23:4322–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15781880

Graciano AL, Balko JA, Rahn DS, *et al*. The Pediatric Multiple Organ Dysfunction Score (P-MODS): development and validation of an objective scale to measure the severity of multiple organ dysfunction in critically ill children. *Crit Care Med* 2005;33:1484–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16003052

Joish VN, Malone DC, Wendel C, *et al.* Development and validation of a diabetes mellitus severity index: a risk-adjustment tool for predicting health care resource use and costs. *Pharmacotherapy* 2005;25:676–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15899729&query_hl=47

Jones AE, Fitch MT, Kline JA. Operational performance of validated physiologic scoring systems for predicting in-hospital mortality among critically ill emergency department patients. *Crit Care Med* 2005;33:974–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15891323&query_hl=41

Moreau AR, Westfall PH, Cancio LC, *et al.* Development and validation of an age-risk score for mortality predication after thermal injury. *J Trauma* 2005;58:967–72.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15920410&query_hl=12

Wechsler B, Kim H, Gallagher PR, *et al.* Functional status after childhood traumatic brain injury. *J Trauma* 2005;58:940–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15920407&query_hl=15

Quality improvement

Beck CA, Richard H, Tu JV, *et al.* Administrative Data Feedback for Effective Cardiac Treatment: AFFECT, a cluster randomized trial. *JAMA* 2005;294:309–17.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16030275

Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke patients. *Cochrane Database Syst Rev* 2005;(2):CD000443.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846604&query_hl=1

Eisses AM, Kluitter H, Jongenelis K, *et al.* Care staff training in detection of depression in residential homes for the elderly: randomised trial. *Br J Psychiatry* 2005;186:404–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15863745&query_hl=76

Garg AX, Adhikari NK, McDonald H, *et al.* Effects of computerized clinical decision support systems on practitioner performance and patient outcomes: a systematic review. *JAMA* 2005;293:1223–38.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15755945&query_hl=78

Rothman RL, Malone R, Bryant B, *et al.* A randomized trial of a primary care-based disease management program to improve cardiovascular risk factors and glycated hemoglobin levels in patients with diabetes. *Am J Med* 2005;**118**:276–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15745726&query_hl=80

Qualitative

Angus J, Evans S, Lapum J, *et al.* “Sneaky disease”: the body and health knowledge for people at risk for coronary heart disease in Ontario, Canada. *Soc Sci Med* 2005;**60**:2117–28.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15743659&query_hl=1

Aral SO, St Lawrence JS, Dyatlov R, *et al.* Commercial sex work, drug use, and sexually transmitted infections in St. Petersburg, Russia. *Soc Sci Med* 2005;**60**:2181–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15748667&query_hl=77

Aroian KJ, Wu B, Tran TV. Health care and social service use among Chinese immigrant elders. *Res Nurs Health* 2005;**28**:95–105.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15779058&query_hl=3

Broom A. Virtually he@lthy: the impact of internet use on disease experience and the doctor-patient relationship. *Qual Health Res* 2005;**15**:325–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15761103&query_hl=5

Burt J, Caelli K, Moore K, *et al.* Radical prostatectomy: men's experiences and postoperative needs. *J Clin Nurs* 2005;**14**:883–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16000103

Connell P, McKevitt C, Wolfe C. Strategies to manage hypertension: a qualitative study with black Caribbean patients. *Br J Gen Pract* 2005;**55**:357–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15904554&query_hl=7

Cooper H, Moore L, Gruskin S, *et al.* The impact of a police drug crackdown on drug injectors' ability to practice harm reduction: a qualitative study. *Soc Sci Med* 2005;**61**:673–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15899325

Crowley-Matoka M. Desperately seeking “normal”: the promise and perils of living with kidney transplantation. *Soc Sci Med* 2005;61:821–31.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950094

Dickerson SS, Boehmke M, Ogle C, et al. Out of necessity: oncology nurses’ experiences integrating the internet into practice. *Oncol Nurs Forum* 2005;32:355–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15759072&query_hl=49

Dinos S, Lyons E, Finlay WM. Does chronic illness place constraints on positive constructions of identity? Temporal comparisons and self-evaluations in people with schizophrenia. *Soc Sci Med* 2005;60:2239–48.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15748672&query_hl=79

Duggleby W, Wright K. Transforming hope: how elderly palliative patients live with hope. *Can J Nurs Res* 2005;37:70–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16092779&query_hl=10

Dunne K, Sullivan K, Kernohan G. Palliative care for patients with cancer: district nurses’ experiences. *J Adv Nurs* 2005;50:372–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15842444&query_hl=9

Edge D, Rogers A. Dealing with it: Black Caribbean women’s response to adversity and psychological distress associated with pregnancy, childbirth, and early motherhood. *Soc Sci Med* 2005;61:15–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15847958

Edmunds LD. Parents’ perceptions of health professionals’ responses when seeking help for their overweight children. *Fam Pract* 2005;22:287–92.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15772121&query_hl=17

Eller LS, Corless I, Bunch EH, et al. Self-care strategies for depressive symptoms in people with HIV disease. *J Adv Nurs* 2005;51:119–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15963183

Esterberg ML, Compton MT. Smoking behavior in persons with a schizophrenia-spectrum disorder: a qualitative investigation of the transtheoretical model. *Soc Sci Med* 2005;61:293–303.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15893046

Ford-Gilboe M, Wuest J, Merritt-Gray M. Strengthening capacity to limit intrusion: theorizing family health promotion in the aftermath of woman abuse. *Qual Health Res* 2005;15:477–501.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15761094&query_hl=11

French B. Evaluating research for use in practice: what criteria do specialist nurses use? *J Adv Nurs* 2005;50:235–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15811102&query_hl=13

Gibson PR, Placek E, Lane J, *et al.* Disability-induced identity changes in persons with multiple chemical sensitivity. *Qual Health Res* 2005;15:502–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15761095&query_hl=15

Gijsbers B, Mesters I, André Knottnerus J, *et al.* Factors influencing breastfeeding practices and postponement of solid food to prevent allergic disease in high-risk children: results from an explorative study. *Patient Educ Couns* 2005;57:15–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15797148&query_hl=17

Hartford K. Telenursing and patients' recovery from bypass surgery. *J Adv Nurs* 2005;50:459–68.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15882362&query_hl=19

Hedestig O, Sandman PO, Tomic R, *et al.* Living after external beam radiotherapy of localized prostate cancer: a qualitative analysis of patient narratives. *Cancer Nurs* 2005;28:310–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16046895

Hoehn KS, Wernovsky G, Rychik J, *et al.* What factors are important to parents making decisions about neonatal research? *Arch Dis Child Fetal Neonatal Ed* 2005;90:F267–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15846021&query_hl=21

Holroyd E. Developing a cultural model of caregiving obligations for elderly Chinese wives. *West J Nurs Res* 2005;27:437–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15870240&query_hl=82

Jackson CJ, Dixon-Woods M, Hsu R, *et al.* A qualitative study of choosing and using an NHS walk-in centre. *Fam Pract* 2005;22:269–74.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15805129&query_hl=19

Kim SS, Son H, Nam KA. The sociocultural context of Korean American men's smoking behavior. *West J Nurs Res* 2005;27:604–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16020568

Lawton J, Ahmad N, Hallowell N, *et al.* Perceptions and experiences of taking oral hypoglycaemic agents among people of Pakistani and Indian origin: qualitative study. *BMJ* 2005;330:1247.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15883139&query_hl=84

Lewis B, Ridge D. Mothers reframing physical activity: family oriented politicism, transgression and contested expertise in Australia. *Soc Sci Med* 2005;60:2295–306.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15748677&query_hl=23

Li S. Doing criticism in 'symbiotic niceness': a study of palliative care nurses' talk. *Soc Sci Med* 2005;60:1949–59.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15743646&query_hl=81

Link LB, Robbins L, Mancuso CA, *et al.* How do cancer patients choose their coping strategies? A qualitative study. *Patient Educ Couns* 2005;58:96–103.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950842

Lofmark U, Hammarstrom A. Older stroke patients' negotiations within the hierarchic medical context. *Qual Health Res* 2005;15:778–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15961875

Lowes L, Gregory JW, Lyne P. Newly diagnosed childhood diabetes: a psychosocial transition for parents? *J Adv Nurs* 2005;50:253–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15811104&query_hl=26

Martínez RG. "What's wrong with me?" Cervical cancer in Venezuela—living in the borderlands of health, disease, and illness. *Soc Sci Med* 2005;61:797–808.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15950092&query_hl=30

McCoy L. HIV-positive patients and the doctor-patient relationship: perspectives from the margins. *Qual Health Res* 2005;15:791–806.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15961876

Menkes DB, Davison MP, Costello SA, *et al*. Stereotactic radiosurgery: the patient's experience. *Soc Sci Med* 2005;60:2561–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15814181&query_hl=32

Miles A, Curran HV, Pearce S, *et al*. Managing constraint: the experience of people with chronic pain. *Soc Sci Med* 2005;61:431–41.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15893057

Mishra A, Arora M, Stigler MH, *et al*. Indian youth speak about tobacco: results of focus group discussions with school students. *Health Educ Behav* 2005;32:363–79.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15851544&query_hl=51

Molnar BE, Roberts AL, Browne A, *et al*. What girls need: recommendations for preventing violence among urban girls in the US. *Soc Sci Med* 2005;60:2191–204.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15748668&query_hl=83

Moore LW, Miller M. Driving strategies used by older adults with macular degeneration: assessing the risks. *Appl Nurs Res* 2005;18:110–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15991110

Murchie P, Campbell NC, Ritchie LD, *et al*. Running nurse-led secondary prevention clinics for coronary heart disease in primary care: qualitative study of health professionals' perspectives. *Br J Gen Pract* 2005;55:522–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16004737

Oliffe J. Constructions of masculinity following prostatectomy-induced impotence. *Soc Sci Med* 2005;60:2249–59.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15748673&query_hl=85

Perkins HS, Shepherd KJ, Cortez JD, *et al*. Exploring chronically ill seniors' attitudes about discussing death and postmortem medical procedures *J Am Geriatr Soc* 2005;53:895–900.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15877572&query_hl=87

Plach SK, Stevens PE, Keigher S. Self-care of women growing older with HIV and/or AIDS. *West J Nurs Res* 2005;27:534–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16020565

Plews C, Bryar R, Closs J. Clients' perceptions of support received from health visitors during home visits. *J Clin Nurs* 2005;14:789–97.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16000092

Pound P, Britten N, Morgan M, *et al*. Resisting medicines: a synthesis of qualitative studies of medicine taking. *Soc Sci Med* 2005;61:133–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15847968

Rehm RS, Bradley JF. Normalization in families raising a child who is medically fragile/technology dependent and developmentally delayed. *Qual Health Res* 2005;15:807–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15961877

Rollins JA. Tell me about it: drawing as a communication tool for children with cancer. *J Pediatr Oncol Nurs* 2005;22:203–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994339

Smit R. HIV/AIDS and the workplace: perceptions of nurses in a public hospital in South Africa. *J Adv Nurs* 2005;51:22–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15941457

Tompkins CN, Wright NM, Jones L. Impact of a positive hepatitis C diagnosis on homeless injecting drug users: a qualitative study. *Br J Gen Pract* 2005;55:263–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15826432&query_hl=89

Vickers KS, Hathaway JC, Patten CA, *et al*. Cancer patients' and patient advocates' perspectives on a novel information source: a qualitative study of the art of oncology, when the tumor is not the target. *J Clin Oncol* 2005;23:4013–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15961756

Waring JJ. Beyond blame: cultural barriers to medical incident reporting. *Soc Sci Med* 2005;60:1927–35.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15743644&query_hl=91

Wheatley EE. Discipline and resistance: order and disorder in a cardiac rehabilitation clinic. *Qual Health Res* 2005;15:438–59.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15761092&query_hl=34

Williams A, Lavender T, Richmond DH, *et al*. Women's experiences after a third-degree obstetric anal sphincter tear: a qualitative study. *Birth* 2005;32:129–36.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15918870